

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it **MUST** be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Douglas P. Mueller on June 3, 2010.

The application has been amended as follows:

Claim 10 has been amended to read:

10. The nonaqueous electrolyte secondary battery according to claim 1, wherein the collector has surfaces formed by the second layer and third layer.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to SMITA PATEL whose telephone number is (571)270-5837. The examiner can normally be reached on Monday-Thursday, 8:00-5:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Melvin Curtis Mayes can be reached on 571-272-1234. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 1793

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

SP, AU1793

June 6, 2010

/Melvin Curtis Mayes/
Supervisory Patent Examiner, Art Unit 1793